

Cost Based Analysis of Internet of Things with Cloud Computing : A Review

Sakshi P.Kusnenwar¹, AdityaP.Bakshi²

Abstract— The many new dimensions have been presented to the information technology and data communications with the help of Internet Of Things (IOT) and also it has helped to develop the concepts of Smart City, Smart Health, Smart Surveillance, Smart Energy, Smart Agriculture, Smart transport, etc. IoT offers lots of opportunity to alter conventional monitoring methods through the use of Smart IT, but it has performance limitations in terms of computational resources, limited storage and processing big data. By merging IoT and cloud computing the industry can overcome the low processing power and storage limitations of IoT, since, cloud computing is pervasive, comprises high computational and storage capacity ability, has unlimited virtual resources available and is capable of processing big data. Since, the cloud is not a free resource so its costs need to be managed. In this paper, we discuss various cost issues which need to be smartly managed by Industries adopting the Cloud with IoT.

Keywords—Internet of Things, Cloud Computing, Pricing, Virtual Machines

I. INTRODUCTION

The Internet of Things (IoT) is a system of interrelated computing devices, mechanical and digital machines, objects, animals or people that are provided with unique identifiers and the ability to transfer data over a network without requiring human-to-human or human-to-computer interaction.

The vision behind the Internet of Things (IoT) was to create real-time connection and data communication with people or anything, anytime, anywhere using any network. This was to facilitate overcoming the limitations of legacy systems and ways of data communication and processing.

“The IoT allows objects to be sensed or controlled remotely across existing network infrastructure i.e. it is a combination of smart objects (i.e. wireless sensors, mobile robots, radio frequency identification systems, etc.), sensor network technologies, and human beings, using different but interoperable communication protocols and realizes a dynamic heterogeneous network that can be redistributed in unreachable, or remote spaces (oil platforms, mines, forests, tunnels, pipes, etc.) or in case of emergencies, i.e. earthquake, fire, floods, radiations areas, etc.”

Cloud computing provides an essential, scalable, efficient and ductile system for context aware computing and online services. This provides the IoTs with a cost effective solution to deal with the data

storage, data management and the capability for big data processing.

This paper focuses on the pricing issues associated with the fusion of IoT and cloud.

A.Applications ofIoT

IoT applications have changed our everyday lives in terms of mobility, work and home life as shown in Fig. 2. Radio Frequency Identification (RFID) systems and Wireless Sensor Networks are two key components in aiding data collection, transmission and growth of IoT applications and devices.




Fig 1:IoT Applications

B.IoT Limitations and Cloud Computing

IoT applications have several limitations such as privacy, security, availability, interoperability and big data. As operators do not have standard specifications to follow and each operator installation may vary significantly from one another. It is important to have a standard architecture to encourage a uniform deployment of IoT on a cloud platform. Also the limitations that the IoT has, that can be addressed somewhat by the cloud.

C.Cloud Computing Etiology

Cloud Computing offers three different services namely Infrastructure as a Service (IaaS), Platform as a Service (PaaS) and Software as a Service (SaaS). Services are offered by herculean cloud vendors, i.e. Google, Amazon, Microsoft. Globally the cloud attracts a wide range of customers from different business sectors, industries, IT and Government. In order to attract the customers the cloud offers different models (i.e. Public, Private, Hybrid and Community) and such services are provided at the effective cost prices. The price is affected by various factors, level of convenience of service, availability, scalability, elasticity, storage

capacity and security, etc . Fig. 2 illustrates the generic cloud structure offering different applications, platforms and services. Xively are examples of platforms and




Fig. 2 Cloud Computing Etiology

D. Cloud Computing and IoT Trending

Cloud computing and IoT services has both been growing in the areas of technology in recent years. As shown in Table I, the amount of investment in cloud services has increased approximately three times from 2012-2017 and is expected to grow further by 2020 .

Cloud Model	2012	2017	2020
Infrastructure as a Service	\$43B	\$117B	\$167B
Platform as a Service	\$30B	\$80B	\$120B
Software as a Service	\$28B	\$65B	\$100B

TABLE I. WORLDWIDE PUBLIC CLOUD SERVICES FORECAST

In 2012, the number of connected IoT devices was 8.7 billion but it is estimated to increase massively by 2020 as shown in Table II . In that situation, IoT applications will be limited in terms of storage, real-time data processing, capacity, availability and security so they will not be able to fulfill the application demand. To overcome this limitation the cloud can be used.

IoT Devices	2012	2017	2020
IoT Connected devices (in billions)	8.7	28.4 (Estimated)	50.1 (Estimated)

TABLE II. INTERNET OF THINGS CONNECTED WORLDWIDE 2012-2020

E. IoT and Cloud Computing Platforms

In order to promote the alliance of the IoT and Cloud , some commercial platforms are extensively working

research projects which are currently working on different areas of IoT and Cloud integration.

on different aspects of the services (i.e. proprietary, open Source, private cloud, public cloud, application

Programminginterface,etc)IoTCloud ,OpenIoT ,NimBits,openPicus, Since the cloud is not a free resource and its costs need to be managed for customer clarity and confidence.

II. Costing

The Cost saving is the core reason for cloud adaption across business and IT sectors, since it offers competitive prices and schemes (i.e. pay-as-you-go or prepay). The pricing schemes and services may vary from vendor to vendor and it is important to have good knowledge about the different aspects of pricing and billing costs before IoT applications and Cloud integration can become a reality.

The Service Level Agreement (SLA) comprises of multiple Service Level Objectives (SLOs). It works as a metric to analyze the Quality of Service, i.e. performance, resource availability, cost, reliability etc., being provided by the vendor . For Example, an SLO specified as in Table III.

Memory (min-max)	16 GB Memory (min) – 32 GB (max)
VMs (min-max)	4 VMs (min) – 12 VMs (max)
Storage (min-max)	10 GB Storage
Ethernet (min-max)	10 Gigabit Ethernet
Approximate Cost	US\$ 0.19 per hour (max)

TABLE III. PRICING EXAMPLE

Now, if the vendor fails to meet the promised service levels as, shown in Table III, based on the SLA the tenant can claim free credit as the vendor has violated the SLA.

A. Pricing Schemes

Each vendor has their own pricing mechanism .It may be flexible, fair, dynamic, adaptive, subject availability/ automatic, but they can be generally categorized into two types namely coarse-grained and fine-grained .

The majority of the big vendors implement coarse-grained billing which means the tenant has to pay for an instance-per hour even if the job is completed within 25 minutes, which means paying for 35 minutes extra for unused capacity as well. Vendors justify this by depicting the running cost of a virtual machine instances (i.e. opening, loading, operating and closing the instance) but in the broader picture fine-grained pricing would actual be of more benefit to both tenant and vendor.

In fine-grained pricing, the user can utilize resources (i.e. time, CPU, Memory) as much as is

required for the tenants job and pay as per it. The vendor can make more profit by charging more unit price for shorter times to overcome the expenses, in this way the resources that were being wasted for a single tenant can be recovered and the vendor can service more tenants in the time slot that was being provided to a single tenant in the coarse-grain model. The fine-grained pricing scheme has three basic attributes: resource bundle (i.e. VM Instance (Operating System Usage, CPU, RAM, Data Storage, Bandwidth, etc.)), time granularity (duration of the billing cycle) and unit price (per hour/per minute/per month).

B. Virtual Machine

Each virtual machine consists of all the resources that the actual physical machine has (i.e. OS, CPU, RAM, Storage, Bandwidth, etc.). Amazon categorizes instances on various criteria :

Type of OS (i.e. Linux Red Hat Enterprise Linux, Windows, etc.)

- 32 or 64 bit
- CPU
- Compute Unit
- Memory
- Instance Storage
- (S3/EBS/Solid-State Drive/Hard-Disk Drive)
- Region
- Contract type

A virtual machine image (VMI) holds all the required dependencies for running and executing a tenant application in an IaaS cloud . If the disk space is not properly managed it could add extra costs to the Vendor ,so it allots the storage nodes specifically for storing VMIs.

The type of instance used by the tenant also affects the performance of a virtual machine (i.e. general purpose instance, compute optimized instance, memory optimized instance, etc.).

Amazon EC3 offers two different types of VMIs (i.e. Simple Storage Service (S3), Elastic Block Store (EBS)). The mechanism, approach, performance and VM boot up time varies on both of Amazon's storage offerings . To save the disk space the Storage service backed VMIs are always stored in compressed format, they increase the network performance as well as they need to be send to the compute node before starting a virtual machine and decompressed .

The EBS backed VMIs are stored on specific computing nodes and are read only when it is required by the virtual machine. This increases the number of I/O operations between the VM and VMIs and despite having a quicker startup time the network performance costs more . A virtual machine boots relatively the same way a machine boots after installing a new operating system, the only difference is a VM reads information from a VMI. It has been observed that the VM boot up time may vary based on different versions and types of operating systems . This boot time can add further costs to the tenant.

1) Impact of VMs on fine-grained and coarse grained pricing methods

As mentioned earlier, a VM may contribute a significant amount of extra cost and time at the vendor end, these costs are accumulated as a result of VM configuration, startup and maintenance, etc. According to the coarse-grained model a tenant has to pay per hour irrespective of the amount of resources utilized whereas in the fine-grained model the tenant only needs to pay as per resources used per minute .

As an example, both coarse-grained and fine-grained pricing have been illustrated in Fig. 3 and 4 in the context of a virtual machine. From these it can be said though the vendors might save on resources with fine-grained schemes but the VM maintenance overhead will increase drastically.

It takes around 51 seconds for an EBS-backed up VMI to boot up regardless of the disk-size or content . An average approximate time of 60 seconds has been used considering different types of VMIs being offered by different vendors as shown in Fig. 3. The same amount of time (60 seconds) has been considered while shutting down a VM once the tenants job is finished, but in actual each tenant may have more than 50, 60 or 100's of VMs, and in such situation coarse grained prices may waste a lot of resources but they can save a lot of vendor overhead and maintenance.




Fig. 3. Resources impact in a coarse grained pricing scheme

Fig. 4 illustrates a fine-grained situation, where three tenants are using the same resource time in order to prevent the wasting of resources . The spare resource time is only 9 minutes at the end of the hour, in contrast to 43 minutes in Figure 3. On the other hand, the VM overhead and costs can be clearly realized. Customizing such resource allocations in a multi-tenancy vendor-subcontractor situation for a large IoT network seems impractical.




Fig.4.Resources impact in a fine grained pricing scheme

The resource bundle, time granularity and unit price may vary from vendor to vendor but the situation can get complicated when resources are subcontracted to different third party vendors.

Every few months/quarterly vendors change their pricing scheme offers and it is the tenant's job to keep an eye for suitable offers. As per law an email or pricing notice is sent out on the latest pricing schemes and changes. If the tenant fails to make the required changes into its cloud setup, by default they will be charged as per the new pricing scheme.

The tenant's workload or processing can increase anytime but none of the vendors approve scalability and elasticity right away, as they might need to check their available resources for processing, in addition pricing also varies as per off peak/peak timings. Most vendors offer different prices on the basis of: reserved instances, on-demand instances and spot instances.

C.Types of Instances

In this section three instance types with their use in the IoT space are mentioned.

1)Reserved Instances

Reserved Instances serve as providing of resources for future use subject to 100% guaranteed availability. Reserved provisioning offers 20-30% cost benefits over ondemand plans but a tenant is required to pay upfront for a year or years to get maximum discounts. In the case where a tenant does not wish to pay upfront, they can only attain hourly discounts which are quite smaller in comparison to full or partial payments. These type of instances would be best fitted for high volume data gathering IoTs where the tenant would have a good understanding of the data and processing requirements of the IoT network. For example, a smart city IoT application.

2)On Demand Instances

On demand instances are charged on hourly basis, with no long term commitments and are convenient when the tenant is not sure about its future computational demands. This type of instance may be suitable for a growing IoT network where a sudden growth in the number of devices and subsequent data is necessary. For example a first responder IoT network where the tenant needs to

respond to changing events and storage and processing demands of such events.

3)On Spot Instances

Spot-instances are the most costlier instances; the tenant can place a offer for the unused cloud capacity, where prices for spot instances keep changing. This is quite similar to bidding for products online. This instance type finds little use in the IoT space.

D.Vendors Offered Instances

The types of instances (i.e. General Purpose Instances, Compute Optimized Instances, Graphics Processing Unites (GPU) Instances, Memory Optimized Instances and Storage Optimized Instances) needed by the tenant depends on its business applications and usage. For example: tenants who need highest computational power buy, reserve or demand Compute Optimized (C4) instances since they are based on the Intel Xeon E5-2666 v3 processor, where C3 instances are designed for running compute-intensive applications based on the Intel Xeon E5-2680 v2 processor.

New ways to purchase EC2 Instances

On-demand Instances	Reserved Instances	Spot Instances
<ul style="list-style-type: none"> Pay as you go Starts from 0.03/Hour 	<ul style="list-style-type: none"> Onetime upfront + Pay as you go \$56 for 1 year term and then \$0.01/Hour 	<ul style="list-style-type: none"> Requested Bid Price and Pay as you go \$0.005 /Hour as of today at 9 AM
For Spiky Workloads	For Steady State Workloads	For Time-Insensitive workloads

Cloud HPC: Cluster Compute Instance

Fig.5.Types Of Instances

III. CLOUD AND IOT SERVICE LEVEL AGREEMENTS

Cloud Service Level Agreement is a contract based document constituting of the legal and technical details for the promised services to be delivered by the cloud vendor to the tenant. Once it is mutually agreed, both tenant and vendor are accountable to follow it, in the case of any service violations both the tenant and cloud vendor have the right to enter the negotiation phase to pay the penalty or break the contract. It is important to understand the cloud service level agreements before uploading IoT applications into the cloud environment, as IoT applications may have a different set of challenges compared to standard computing requirements, such as: cloud multi-tenancy, data governance risk and control, multi-cloud issues, cloud vendor lock-in situations, etc.

A.Instance request process:

Instance requests have a certain response time which may vary from seconds to milliseconds based on the resource availability. Amazon's latency in responding to its

cloud offerings and services is around 50 milliseconds . All conversations for extra services requested or granted between the tenant and vendor are communicated in a Web Service Level Agreement Language and Framework (WSLA) . This also performs the SLA negotiations based on different metrics (i.e. time, price, reliability, etc.) and monitoring the requirement to be meet. Various research projects for SLA Management (i.e. MOSAIC , ETICS etc.) have been carried on before but none of them have been adapted by the vendors yet.

IV. TECHNOLOGICAL CHALLENGES

As discussed in Section I, with the growing number of IoT devices and data processing in the coming years may limit the applications of IoT devices in terms of performance, efficiency and support for big data processing. IoT devices combined with the cloud technology forming Cloud of Things (CoT) may overcome the IoT limitations but at the same time the CoT model may be liable to certain technological and security based issues discussed in such as: protocol support, energy efficiency, resource allocation, identity management, IPv6 deployment, data locality, unnecessary communication of data, QoS, etc.

V. RELATED WORK

Many IoT based projects and applications are onfoot with respect to cloud adoption as mentioned in subsection I.C and I.D (IoT and Cloud Computing Platforms, IoT Applications and Cloud Computing). However all of these projects have yet to focus on the cost aspect of the cloud and how the Cloud Instance costs factor can point to serious cost disadvantages if the costing schemes are not fully understood or properly implemented. The research presented in this paper highlights on the cost factor relating specifically to IoT and Cloud integration. This important analysis has, as of yet, remained an area of limited published research.

IoT projects and applications may differ in ways of adopting required cloud virtual resources, i.e. Virtual Machines (VMs), Containers . Containers have demonstrated to be an easier platform for moving applications working on IT legacy systems into the cloud and tend to have better performances in comparison to VMs . However the containers open source platform may lead to security based issues and is limited to Linux based platforms. Cloud vendors have not yet publicised any comparison between VMs and Containers in terms of cost but instead have focused on performance, scalability, flexibility, adaption and customization . This means that cloud VMs still have cost benefits and are not limited to open-source platforms like containers . Therefore , the work presented here focused on VMs cost analysis .

VI. CONCLUSION

The fusion of the Cloud and IoT has a definite future as cloud based services overcome the IoT

limitations in terms of security, availability, storage, computation, reliability, scalability and bandwidth. Some industries have already moved their IoT applications into the cloud by using open source toolkits and frameworks which made the adaption and transition easy . Each IoT application will vary and as such may require a different cloud type (i.e. public, private, hybrid, community) and service (i.e. IaaS, PaaS and SaaS).

IoT & Cloud fusion still comprises many technical gaps but with the increasing number of IoT devices and cloud computing adaption, IT companies are looking for and proposing solutions to bridge this gap .

Different cloud vendors offer different pricing schemes based on coarse grained or fine-grained pricing schemes as discussed above. The types of instances, i.e. general purpose, storage optimized, compute optimized, memory optimized, etc. and their availability is subject to whether the tenant reserved the instances or prefers to opt for the more expensive ondemand or spot instances. Each instance differentiates in terms of storage, computation, memory and availability and these factors will determine the best fit for the IoT application and its computation or storage needs.

System cost is always a core factor and the cloud offers both cost savings and convenience of resources for IoT devices and their applications. It will require IoT operators to have a good knowledge about cloud pricing mechanisms, billing cycles, service level agreements and cloud functionality before moving their

applications into the cloud, otherwise the decision may not lead to cost-benefits and the tenant may find themselves lockedin to an expensive SLA with a vendor.

REFERENCES

- [1] O. Vermesan, P. Friess, 2013. *Internet of Things - Global Technological and Societal Trends: Smart Environments and Spaces to Green ICT*. River Publishers
- [2] K. Chang, C. Chen, J. Chen and H. Chao, "Internet of Things and Cloud Computing for Future Internet", *Communications in Computer and Information Science*, pp. 1-10, 2011.
- [3] B. Rao, P. Saluia, N. Sharma, A. Mittal, and S. Sharma, "Cloud computing for Internet of Things & sensing based applications", *IEEE Sixth International Conference on Sensing Technology*, (2012), 374-380.
- [4] L. Dhirani, T. Neue and S. Nizamani, "Tenant - Vendor and Third-Party Agreements for the Cloud: Considerations for Security Provision", *International Journal of Software Engineering and Its Applications*, vol. 10, no. 12, pp. 449-460, 2016.
- [5] J. Zhou, T. Leppanen, E. Harjula, M. Ylianttila, T. Ojala, C. Yu and H. Jin, "CloudThings: A common architecture for integrating the Internet of Things with Cloud Computing", *Proceedings of the 2013 IEEE 17th International Conference on Computer Supported Cooperative Work in Design (CSCWD)*, 2013.
- [6] forbes.com/sites/louiscolombus/2016/03/13/roundup-of-cloudcomputing-forecasts-and-market-estimates-2016/#56af6ea22187 [30 March 2017]
- [7] statista.com/statistics/471264/iot-number-of-connected-devicesworldwide/ [30 March 2017]
- [8] A. Botta, W. de Donato, V. Persico and A. Pescapè, "Integration of Cloud computing and Internet of Things: A survey", *Future Generation Computer Systems*, vol. 56, pp. 684-700, 2016.

- [9] E. Kosmatos, N. Tselikas and A. Boucouvalas, "Integrating RFIDs and Smart Objects into a Unified Internet of Things Architecture", *Advances in Internet of Things*, vol. 01, no. 01, pp. 5-12, 2011.
- [10] A. Alamri, W. Ansari, M. Hassan, M. Hossain, A. Alelaiwi and M. Hossain, "A Survey on Sensor-Cloud: Architecture, Applications, and Approaches", *International Journal of Distributed Sensor Networks*, vol. 9, no. 2, p. 917923, 2013.
- [11] A. Botta, W. de Donato, V. Persico and A. Pescapé, "On the Integration of Cloud Computing and Internet of Things", *2014 International Conference on Future Internet of Things and Cloud*, 2014.
- [12] sites.google.com/site/opensourceiotcloud/ [2 April 2017]
- [13] openiot.eu [2 April 2017]
- [14] nimbits.com [2 April 2017]
- [15] iot-a.eu [2 April 2017]
- [16] xively.com [2 April 2017]
- [17] D. Serrano, S. Bouchenak, Y. Kouki, T. Ledoux, J. Lejeune, J. Sopena, L. Arantes and P. Sens, "Towards QoS-Oriented SLA Guarantees for Online Cloud Services", *2013 13th IEEE/ACM International Symposium on Cluster, Cloud, and Grid Computing*, 2013.
- [18] S. Venticinque, R. Aversa, B. Di Martino, M. Rak and D. Petcu, "A Cloud Agency for SLA Negotiation and Management", *EuroPar 2010 Parallel Processing Workshops*, pp. 587-594, 2011.
- [19] C. Shin Yeo and R. Buyya, "Pricing for Utility-Driven Resource Management and Allocation in Clusters", *International Journal of High Performance Computing Applications*, vol. 21, no. 4, pp. 405-418, 2007.
- [20] C. Yeo, S. Venugopal, X. Chu and R. Buyya, "Autonomic metered pricing for a utility computing service", *Future Generation Computer Systems*, vol. 26, no. 8, pp. 1368-1380, 2010.
- [21] H. Jin, X. Wang, S. Wu, S. Di and X. Shi, "Towards Optimized FineGrained Pricing of IaaS Cloud Platform", *IEEE Transactions on Cloud Computing*, volume. 3, no. 4, pp. 436-448, 2015.
- [22] aws.amazon.com [23 March 2017]
- [23] docs.aws.amazon.com [23 March 2017]
- [24] cs.vu.nl/~kielmann/papers/dihc13.pdf [23 March 2017]
- [25] linux.die.net /man/8/chkconfig [6 April 2016]
- [26] tin.org /bin/man.cgi?section=8&topic=update-rc.d [6 April 2016]
- [27] R. Buyya, C. Yeo, S. Venugopal, J. Broberg and I. Brandic, "Cloud computing and emerging IT platforms: Vision, hype, and reality for delivering computing as the 5th utility", *Future Generation Computer Systems*, vol. 25, no. 6, pp. 599-616, 2009.
- [28] M. Chhetri, Q. Vo and R. Kowalczyk, "Policy-Based Automation of SLA Establishment for Cloud Computing Services", *2012 12th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing (ccgrid 2012)*, 2012.
- [29] S. Chaisiri, B. Lee and D. Niyato, "Optimization of the Resource Provisioning Cost in Cloud Computing", *IEEE Transactions on Services Computing*, vol. 5, no. 2, pp. 164-177, 2012.
- [30] blog.engineyard.com /2015/increasing-performance-decreasing-pricetesting-t2-instances [1 April 2016]
- [31] M. Alhamad, T. Dillon and E. Chang, "Conceptual SLA framework for cloud computing", *4th IEEE International Conference on Digital Ecosystems and Technologies*, 2010.
- [32] Hickey, A. Cloud SLAs Add New Level Of 'Confidence'. *CRN*, 2017. crn.com /news/applications-os/224000198/cloud-slas-add-new-level-ofconfidence.htm [20 November 2015]
- [33] A. Keller and H. Ludwig, "The WSLA Framework: Specifying and monitoring service level agreements for web services", *Journal of Network and Systems Management*, vol. 11, no. 1, pp. 57-81, 2003.
- [34] K. Bernsmed, M. Jaatun, P. Meland and A. Undheim, "Security SLAs for Federated Cloud Services", *2011 Sixth International Conference on Availability, Reliability and Security*, 2011.
- [35] ETICS (Economics and Technologies for Inter-Carrier Services). 2011. ict-etics.eu [16 February 2016]
- [36] M. Aazam, I. Khan, A. Alsaifan and E. Huh, "Cloud of Things: Integrating Internet of Things and cloud computing and the issues involved", *Proceedings of 2014 11th International Bhurban Conference on Applied Sciences & Technology (IBCAST), Pakistan*, 2014.
- [37] J. Gubbi, R. Buyya, S. Marusic, and M. Palaniswami, "Internet of Things (IoT): A Vision, Architectural Elements, and Future Directions", *Technical Report CLOUDS-TR-2012-2*, July 2012.
- [38] W. Felter, A. Ferreira, R. Rajamony and J. Rubio, "An updated performance comparison of virtual machines and Linux containers", *2015 IEEE International Symposium on the Performance Analysis of Systems and Software (ISPASS)*, 2015.
- [39] D. Bernstein, "Containers and Cloud: From LXC to Docker to Kubernetes", *IEEE Cloud Computing*, vol. 1, no. 3, pp. 81-84, 2014.
- [40] G. Suci, A. Vulpe, S. Halunga, O. Fratu, G. Todoran and V. Suci, "Smart Cities Built on Resilient Cloud Computing and Secure Internet of Things", *2013 19th International Conference on Control Systems and Computer Science*, 2013.
- [41] J. Gubbi, R. Buyya, S. Marusic and M. Palaniswami, "Internet of Things (IoT): A vision, architectural elements, and future directions", *Future Generation Computer Systems*, vol. 29, no. 7, pp. 1645-1660, 2013.
- [42] J. Zhou, Z. Cao, X. Dong, and A. V. Vasilakos, "Security and Privacy for Cloud-Based IoT: Challenges," *IEEE Communications Magazine*, vol. 55, no. 1, pp. 26-33, 2017.

AUTHOR'S PROFILE

	<p>Sakshi Prashant Kusnenwar BE 3 Yr CSE, Jawaharlal Darda Institute Of Engg and Technology, Yavatmal, Maharashtra, India. sakshipkusnenwar@gmail.com</p>
	<p>Aditya P Bakshi Asst. Professor, Jawaharlal Darda Institute Of Engg and Technology, Yavatmal, Maharashtra, India. bakshi.aditya.ab@gmail.com</p>